

# MECCANO

(TRADE MARKS 296321, 561113, 76, 12635, 10274, 55/13476, 569/13, 884/25, 2913, 80, 124, 336, 18066, 5403, 41812, 4174, 9048, 5548, 2889, 91637, 83171, 157149, 32822, 200639, 209738, 214061, 214062, 12822, 20063, 23316, 1818, 16737, 16900, 72236, 494933-4-5-6, 139420, 383/18, 5848, 50204, 10/12258, 22826, 18982, 20063/925, 2189, 7315, 29041, 26877, 6595, 404718)

HORNBY'S ORIGINAL SYSTEM-FIRST PATENTED IN 1901

## INSTRUCTIONS

FOR OUTFIT


No. 0

Price 6d.

Copyright by MECCANO LIMITED, LIVERPOOL, throughout the world

No. 30.0

ENGLISH EDITION



## A TALK WITH NEW MECCANO BOYS

The Meccano No. 00 Outfit is the first step in the Meccano system; then comes No. 0 with which hundreds of models can be made, each one a perfect reproduction of the real thing. After you have made all the models shown in this Manual you will want to build bigger models and you may do this by adding new parts to your Outfit or, by purchasing a No. 0A Accessory Outfit, you may convert your No. 0 into a No. 1. You will then be able to build many more models, including larger and better Cranes, Bridges, Wagons, Trucks, Windmills, etc.

## MECCANO ACCESSORY OUTFITS

It is important to remember that each Outfit may be converted into the one next higher by means of an Accessory Outfit. Your No. 0 Outfit is converted into a No. 1 by adding to it a No. 0a. A No. 1a will then convert it into a No. 2 and so on. As you progress in Meccano you obtain a greater variety of parts, Gear Wheels, Pulley Wheels, Worm Wheels, Couplings, Cranks, and many other perfectly-made engineering parts. These enable you to construct complicated mechanical movements without any difficulty. The most wonderful feature about Meccano is that it is real engineering; it is a fascinating and delightful hobby, and yet so simple that even an inexperienced boy may join in the fun without first having to study or learn anything.

#### HOW TO BUILD WITH MECCANO

First build the models exactly as they are illustrated in the Manual, and then take each model and try to improve on our design. Every one can be made in a dozen different ways. Screw up all the nuts and bolts tightly to ensure that your models will be strong and firm when they are completed.

#### THE LIFE OF A MECCANO BOY

A Meccano boy is the happiest boy in the world. He builds models from the Meccano Instruction books; invents new models; enters the Competitions which are always being held in connection with the hobby; joins the Meccano Guild and a Meccano Club and by wearing the Guild badge proclaims himself to be the friend of millions of other Meccano boys all over the world. He reads the "Meccano Magazine" regularly and corresponds with his friend the Editor when he feels like it. Time never hangs heavily on his hands and he is too busy and too happy to grumble.

The "Meccano Magazine" is the Meccano boy's newspaper. It tells him of the latest Meccano models; what Meccano Clubs are doing; how to correspond with other Meccano boys; the Competitions that are running, etc. It contains splendid articles on such subjects as Railways, Famous Engineers and Inventors, Electricity, Bridges, Cranes, Wonderful Machinery, Aeronautics, Latest Patents, Radio, Stamps, Photography, Books and other topics of interest to boys, including suggestions for new Meccano parts and correspondence columns in which the Editor replies to his readers' enquiries. The publishing date is the 1st of each month.

Write to the Editor, "Meccano Magazine," Old Swan, Liverpool, enclosing 6d. in stamps. He will then forward a specimen copy of the "M.M." post free. If you wish to become a regular subscriber the rates are 4/- for six issues or 8/- for twelve issues, post free.

If you prefer to do so, you may order the Magazine from your Meccano dealer or from any newsagent or bookstall, price 6d.

## STRIPS, GIRDERS AND BRACKETS 0000000 102 000 (000) [0000000 WHEELS, GEARS, ETC


## Particulars and Prices of Meccano Parts

	Perforated Strips			l No.	s.	d
No.	s d.   No.	S	. d.	37.	Nuts and Bolts, 7/32" per box (doz.) 0	6
1.	$12\frac{1}{2}$ $\frac{1}{2}$ doz. 1 0 3. $3\frac{1}{2}$ $\frac{1}{2}$ doz.	0	4	37a.	Nuts , , , 0	5
1a.	91" 0 9 4. 3"	0	3	37b.	Bolte 7/99"	9
1b.	$7\frac{1}{2}$ " " 0 8 5. $2\frac{1}{2}$ " "	0	3	38.	Washers	1
2.	$7\frac{7}{2}$ " " 0 8 5. $2\frac{1}{2}$ " " 5 $\frac{1}{2}$ " " 0 6 6. $2$ " "	0		40.	Hanks of Cord 2 for 0	g
2a.	4½" ", 0 5   6a. 1½" ",	0		41.	Propeller Blades per pair 0	4
	Angle Girders			43.	Springs each 0	0
7.	24½" each 0 8   9a. 4½" ½ doz.	0	10	44.	C-1 1 D + CV :	1
	191" 0 G Ob 91"	0		45.	Double 0	i
8.	191" 1 dow 1 0 00 9" "	ő		46.	. " . "	2
8a.	01// 1 0 01 01//	0	7	47.		9
8b.	71" 1 0 0 0"	0	6	47a.	2" 11" " 0 1	10
9.	510 " 1 0 00 110 "	ő	6	48.		4
10.		0	2	48a.	" " $\frac{1\frac{1}{2}'' \times \frac{1}{2}''}{2\frac{1}{2}'' \times \frac{1}{2}''} \dots$ " 0	5
11.	Dauble Deschets	0	1	48b.	91//1//	
12.	A 1	0		48c.	" " $3\frac{1}{2}$ " $\times$ " " 0	6
12a.	Angle Brackets, \( \frac{1}{2} \times \frac{1}{3} \) \( \dot{doz}. \)  " " \( \frac{1}{2} \times \frac{1}{3} \) \( \frac{1}{2} \times \frac{1}{3} \)			48d.		9
12b.	1// 1//		3			9
IZD.	" " " X ½" "	0	3	50a.	Eye Pieces, with boss each 0	4
13.	Axle Rods	^		52.	Perforated Flanged Plates, $5\frac{1}{2}'' \times 2\frac{1}{2}''$ , 0	5
	111" each 0 2   16a. 21" 2 for	0	1	52a.	Flat Plates, 5½"×3½" 0	5
IΣa.	8" , 0 2 16b. 3" ,	0	1	53.		3
14.	6½" " C 1 17. 2" 3 for 5" 0 1 18a. 1¼"	0	1	53a.	Flat Plates, $4\frac{1}{2}'' \times 2\frac{1}{2}'' \dots $	3
15.	5" 0 1 18a. 1½" "	0	1	54.	Perforated Flanged Sector Plates , 0	3
15a.	41 2 for 0 1 18b. 1" "	0	1	55.	" Strips, slotted, 5½" long " 0	2
16.	31, 0 1			55a.	,, ,, ,, 4 ,, ,, 0	1
19.	Crank Handles, Large each	0	2	56.		6
19s.	" " Small "	0	2	56a.		6
19a.	Wheels, 3" diam., with set screws ",	0	6	56b.	" " No. 0 " 0	6
20.	Flanged Wheels, 11 diam "	0	5	56c.	Meccano Standard Mechanisms Manual ,, 1	Ō
20b.	377	0	4	56d.		6
	Pulley Wheels			56f.		6
19Ъ.	o dia. With centre boss and set screw	0	7	57.		1
19c.	6"	2	0	57a.		î
20a.	2"	0	5	57b.		$\hat{3}$
21.	11, " " " " " " " " " " " " " " " " " "	0	4	58.	Spring Cord per length 0	9
22.		0	3	58a.		6
23a.	1"	0	3	59	Collars with Set Screws 2 for 0	3
22a.	1" ", without ", ", ", ",	0	2	61.		6
23.	1"	0	2	62.		3
24.	Bush" Wheels" "" "	0	4	62a.	Threaded Crapks	4
25.	Pinion Wheels 8" diam 1" wide	0	6			3
25a.	8" 1"	ő	8	63.		6
25b.	" " " " " " " "		10		Octagonal Couplings " 0	8
26.	" " 1" " " " "	Ö	4		Strip Couplings	8
26a.	" " " " " " " " "	0	6	630	Threaded Countings	
26b.	" " " " " " " "	0	8	64.		6
LOD.	" " Gear Wheels " "	U	G			2
27.	50 teath to gear with 8" pinion	0	6			
27a.		0	6	0.77		0
	133 ", ", ", ", (3½" diam.") ",			67.	", 25 ", ", 1 ( Woodscrews, ½" doz. 0 3	
28.	Contact Wheel 11" 11" (of diam.) "	1	3	68.	Woodscrews, ½" doz. 0 8	3
	Contrate wheels, 15 diam "	0	9	69.	Set Screws , 0 3	
29.		0	6	69a.		4
30.	Bevel Gears, §", 26 teeth "	0	9	69D.	" " 1/32" 0 5	
30a.	" " L'an only be "	0	6	70.	Flat Plates, $5\frac{1}{2}$ " $\times 2\frac{1}{2}$ " each 0	4
30c.	" 1½", 48 " sused together,	1	6	72.	$"$ $"$ $2\frac{1}{2}" \times 2\frac{1}{2}" \dots \dots $ $"$ $"$ $"$ $"$ $"$ $"$ $"$ $"$ $"$	2
31.	Gear Wheels, 1", 38 teeth "	1	0	76.	Triangular Plates, $2\frac{1}{2}$ " , 0	2
32.	,, 91220 11. 11. 11. 11. 11. 11. ,,	0	5	77.	,, ,, 1" ,, 0 1	
34.	Spanners ,,	0	2		Screwed Rods	•
34b.	Box Spanners "	0	4	78.	111 each 0 6   80a, 31" each 0 3	3
35.		0	3	79.	8" , 0 5 80b. 4\dag{\bar{b}}" 0 3	
36.		ō	3	79a.	6" " 0 4 81, 2" " 0 9	
36a.		0	6	80.	5" " 0 9 92 1" " 0 1	
36b.		ĭ	0		5½" Curved Strips, 10" radius " 0 2	
VE A					" 0 2	•

2						_			
	Parti	cula	ars	a	nd	P	rice	S	
0.	3" Curved	String		nked	1	3"		5.	α.
a.	3 Curved	Surp	rac	line.	4 to	ircle	each	0	2
	21" "		28	"rad	ius		"	0	1
a.	21" "	"	cra	nked	1, 1	8"	"		
	22 "	,,	rac	dius,	4 to	circle	,,	0	1
	Sprocket	Chain		200	per	40"	length	0	6
	,,	Wheel	s. 2"	dian	1.		each	0	5
a.	"	**	11	" "			>>	0	4
b.	,,	**	3"	,,	•••		"	0	6
	99	"	1"	11	•••		**	Ö	3
a.	n "1 C	, "	21/	1	•••	•••	doz.	ő	9
	Braced G	irders,	31/2"	long	•••			ŏ	8
a.	"	"	217		***	35.55	"	0	8
	. ,,	"	121	»			,,	2	6
a.	n	"	12½" 9½"	"	***		"	2	0
b.	"	"	71"	"			"	2	0
).	"	,, 4	54"				,,	1	0
a-	,,	**	41"	**			**		10
	Healds, f	or loo	ms				doz.	0	9
2.	Single Be	nt St	ips				cach	0	1
	Flat Gird	ers, 5	1 lc	ong	•••		doz.	0	10
a.		10	11/	"	•••	,	"	1	3
b.			10	"	•••	•••	"	ô	9
Bc.		, ,	1"	"	•••		,1	ŏ	7
Be.		,	1//	"	***		"	ő	6
f.		, 2	1"	"			n	0	5
g.		, 2	"	"			"	0	4
3h.		. 1	1"	"			"	0	4
3k.	"	,, 7	17"	,,			"	1	0
1.	Shuttles,	for lo	oms				each	5	0
5.	Reed Ho	oks, fo	or lo	oms			"	0	4
3.	Wood Re		•••	•••	•••		99	1	6
6a.	Sand Ro			~ 11	ahi-		**	1	6
	Tables fo				KUIII		>1	ô	2
3. ).	Face Pla	toc 9	" di	am.	•••		"	ő	4
).	Rack Str	ips 3	"				"	0	2
a.	Teach Cu	. 6	″		***	***	"	0	3
1.	Bolts, 3"	,					2 for	0	1
la.	" ½"						3 for		1
1c.	" 3"						doz.	0	3
3.	Girder F				•••	•••	each	0	3
4.	Hinges .						er pair	0	4
5.	Threaded				• • • •	•••	each	0	
B.	Fork Pie					•••	22	0	
6a.	C." 1 D.	1- 8/	mall		•••		ďoz.	ő	
7. 8.	Steel Ba Hub Dis	00 51	v uiaii	1		•••	each	ĭ	
9.	Channel							•	U
9.	11½" d			(0		пси		0	4
0.	Buffers .		•••	***	555	***	"	ŏ	
0a.						pe	er pair	0	
0b.							each	0	
1.	Train Co						33	0	
2.	Miniatur						"	G	
3.	Cone Pu						,,	1	3
4.	Reversed						doz.	0	4
5.					1"			0	0.50
6.	Trunnion	,,		33	2		each	0	
о. 6а.			***	•••	•••	***	Caca	0	
					•••		"	0	
7.	Simple I	sell Ci	anks	,	- 6		1. 11 -		
	+ 1000	eries i	псии	Les 2	o rus	rreis	in the	001	rect

RODS, CRANKS AND COUPLINGS 80A MISCELLANEOUS 138A 0,000 106A 158<sup>A</sup> 57A 34B 

PLATES





BADGE OF MEMBERSHIP



GUILD LEADER'S BADGE

THE Meccano Guild is an organisation for boys, started at the request of boys, and conducted as far as possible by boys. In joining the Guild a Meccano boy becomes a member of a great brotherhood of world-wide extent, every member of which has promised to observe its three great objects:—

- (1) To make every boy's life brighter and happier.
- (2) To foster clean-mindedness, truthfulness, ambition, and initiative in boys.
- (3) To encourage boys in the pursuit of their studies and hobbies, and especially in the development of their knowledge of mechanical and engineering principles.

### HOW TO BECOME A MEMBER

MEMBERSHIP of the Guild is open to every boy possessing a Meccano Outfit, or
Hornby Train Set, who satisfactorily fills in the prescribed application form.
The only conditions are that members promise to observe the objects of the Guild and to wear their badges on all possible occasions.

The price of the Guild membership badge is 7d. post free in the United Kingdom, and 1/- post free overseas. Boys overseas should ask their dealers for the name and address of the Meccano Agent in their country, who will be pleased to enrol them. A remittance for the necessary amount should be sent along with the form of application. The Guild badge is beautifully enamelled in blue and white and is made for wearing in the lapel of the coat.

#### MECCANO CLUBS

MECCANO CLUBS are founded and established under the guidance of the Guild Secretary at Headquarters and at the present time there are nearly 250 affiliated Clubs in various towns and villages throughout the world. Each Club has its Leader, Secretary, Treasurer, and other officials all of whom, with the exception of the Leader, are boys. Write for information how to form a Club, if there is no Club near you.

Special awards are given to Club members for good work in connection with their Club and medallions are awarded in connection with the Recruiting Campaign, full particulars of which will be sent on request.




RECRUITING MEDALLION




SPECIAL MERIT MEDALLION




Meccano Guild Member's Certificate





## All these Models can be built with MECCANO Outfit No. 00 Model No. 00.1 Table Model No. 00.2 Dividers Model No. 00.4 Clothes Hanger Model No. 00.5 Model No. 00.7 Carpenter's Square Shipyard Bogie Model No. 00.3 Bench Model No. 00.15 Model No. 00.8 Model No. 00.6 Desk Meat Saw Rifle with Bayonet Model No. 00.14 Farm Sight Model No. 00.11 Model No. 00.9 Velocipede Hand Cart Model No. 00.13 Trowel Model No. Model No. 00.12 00.10 Ladder Fire-Axe Model No. 00.16 Plough Model No. 00.18 Barrow Model No. 00.17 Sled





























## Model No. 00.158 Model No. 00.159 Model No. 00.163 Scales Model No. 00.166 Fire Escape Torpedo Boat Motor Car Model No. 00.165 Pistol 000 Model No. Model No. 00.167 00.161 Organ Stamping Model No. 00.169 Mill Model No. 00.160 Searchlight Telegraph Pole Model No. 00.164 Clothes **Drying Frame** Model No. 00.168 Model No. 00.162 **Drinking Trough** Watch and Chain




## Model Model Model No. 00.179 Hand Truck Model No. 00.183 Model No. 00.186 Airship No. 00.185 No. 00.181 Windmill Flower Pot Clock Stand Model No. 00.189 Model No. 00.180 Model No. 00.182 Airship Mooring Mast Arc Lamp Letter Balance Model No. 00.187 Gallows 0 0 Model No. 00.184 Garden رو الله Roller The weighted 5½° Strips are pivoted by Bolts and lock-nuts to the vertical members, and a 2½°×½° Double Angle Strip connects their upper ends. This Double Angle Strip is connected, in turn, to the vertical 3½° Axle Rod by means of a 2½° Strip and an Angle Bracket. Model No. 00.188 Joy Wheel






#### HOW TO CONTINUE


This completes our examples of models that may be made with MECCANO Outfit No. 00. The next models are a little more advanced, requiring a number of extra parts to construct them. The necessary parts are all contained in a No. 00A Accessory Outfit, the price of which will be found in the list at the end of this Manual.




24	These Models can be	built with M	IECCANO Out	fit No. 0 (or N	No. 00 and No.	00A)	
Model No. C.20	Model No. 0.21	A N	Model No. 0.25	Model I	No. 0.27 Milk	Maid	Model No. 0.30
Loud Speaker	Strong Man	/- <b>/</b>	Cot	Parts			Catapult
600 1	Parts required:	5 (12 h. L.	BELLEVI SO	required: 5 of No.		***	
15000	4 ,, ,, 10 13 ,, 37	N/A	j e i v		10 TESTIC		
(0,0)	2 ,, ,, 11 37A 4 ,, ,, 12   1 ,, ,, 52	(3)			11		
	2 ", ", 17   4 ", ", 90A 4 ", ", 22   1 ", ", 111c	1000	00000	CONTROL TO SELECT	22		
	- " "   - " " " 1110	(i)	A SHOWN OF STREET	<b>a</b> 4 14 ,, ,, 3	37		XX
(0)			ets required:	1 ,, ,, 5	37A 52		
		2 of No.	2   16 of No. 37 5   2 ,, ,, 48A	1 ,, ,, 9	90a 11c		
		4 ,, ,,	5 2 ,, ,, 48A 12 1 ,, ,, 52 of No. 90A				
	Mo	del No. 0.22			Winter Street		Parts
Parts	6.4	Boxer 🕼	Model No. 0.26				required:
required: 1 of No. 11			Banjo		el No. 0.28		4 of No. 37 4 ,, ,, 90A
1 ,, ,, 23 1 ,, ,, 24			Parts required:		ing Horse	Mod	el No. 0.31
6 , , 37	Victoria de la companya della companya della companya de la companya de la companya della compan	e	2 of No. 2		required:		nd Milkmaid
1 ,, ,, 37A 4 ,, ,, 90A			8 " " 37	000000000	7 of No. 5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
2 " " 111c 2 " " 126		A	4 " " 90A		2 , , 11		
Model No. 0.23 P	iano Parts			V /o/ -	1 ,, ,, 23		
	required:  3 of No. 5	(1, - dd-).		0/0/	13 ,, ,, 37 4 90A	Th	200
Parts requir	ed: 4 ,, ,, 10 2 ,, ,, 11			00	3 " " 111c 1 " " 126A		
4 of No. 2 5 of	No. 37A 4 ,, ,, 12 1	of No. 37A			THE STATE OF THE S		
2 ,, ,, 12 1 ,,	" 52 <b>1</b> 5 " " 37 1		M M	odel No. 0.29	Aeroplane		
16 ,, ,, 37 5 ,,	" 111c	Model No. 0	24	& <b>6</b>		- 0	
		Motor Bo					
March 1995							0/10/
			6445	<u> </u>	3533	Parts	required:
	Parts required:	- 0		Parts requ	iired:	2 of No. 5	
	2 of No.				of No. 37	2 ,, ,, 11	1 2 " " 37A
Villa To	3 , ,	10 1 ,, ,, 37	'A \	2 ", ", 12 2	101	2 ,, ,, 22	2 4 " " 90A
Vicini	1 , ,	11   1 ,, ,, 111	· CAPS	1 ,, ,, 24   1	" " 126а	l of	f No. 125



## Model No. 0.43 Wrestlers





# Model No. 0.48 The Missing Link Parts required:

	of	No.	5	
4	,,	,,	10	1
8	,,	"	12	
1	. ,,	,,	24	. 1
16	,,	,,	37	1
6	,,	,,	37A	,
1	,,	,,	52	1
4	,,	,,	90A	
6	"	٠,,	111c	/ 0
			~	<u> </u>
	,,			/o 1

## Model No. 0.44 A Chase

#### Parts required:

1	of	No.	5	16	of	No.	37
1	,,	,,	10	1	,,	,,	37A
2	,,	,,	11	1	,,	,,	52
7	,,	,,	12	4	,,	"	90 A
1	,,	,,	22	2	,,	,,	111c
1	11	"	23	2	,,	,,	126A

## Model No. 0.49 Galvanometer

1		red: No.	12	
	UI	140.	Distribution (	
1	,,	,,	17	1
5	21	,,	37	
4	,,	,,	37A	
1	,,	,,	52	
4	,,	,,	90 A	
2			111c	

## Model No. 0.50 Steeple-chaser


			Par	s re	qui	rec	1:		
	7	of	No.	5	1	of	No.	37A	
	4	"	,,	10	1	,,	,,	48 A	
1	1	,,	,,	12	1	,,	"	52	
	1	,,	,,	23	4	,,	,,	90a	
	13	,,	,,	37	1	,,	.,,	111c	
					1	,,,	,,	126a	
		1				60			



**Bullock Cart** 


Model No. 0.45


3	of	No.	2	2	of	No.	37A
9	,,	"	5	1	,,	"	52 111c
1	,,	,,	16	2	,,	,,	111c
1	,,	"	22	2	,,	"	126A







		Par	ts r	equ	ire	d:	
2	of	No.	5	113	of	No.	37
1	,,	,,	11	1	,,	,,	52
1	. ,,	,,	17	4	,,	,,	90
. 1			24	1 2			12/







#### Model No. 0.61 Rattle




Model No. 0.62 Single Sheave Pulley Block




## Parts required:

2 of No. 5 | 7 of No. 37A 1 ,, 23 | 1 ,, 57 3 of No. 111c



## Model No. 0.65 Aerial Ropeway




#### Parts required:

4	of	No.	2	1	of	No.	23	2	of	No.	48A
4	,,	,,	. 5	2	,,	,,	35	2	,,	,,	125
2	,,	,,	10	22	,,	,,	37	2	,,	,,	48A 125 126 126A
1	,,	,,	17	1	,,	,,,	40	2	,,	,,	126A

## Model No. 0.66 Shearing Machine

#### Parts required:


4	of	No.	2	2	of	No.	48A
7	,,	,,	5	1	,,	,,	48a 52 90a
17	,,	,,	37	2	,,	,,	90a



#### Parts required:

8	of	No.	5	14	of	No.	35
2	,,	,,	10	20	,,	,,	37
6	,,	,,	12	1	,,	,,	52
2	,,	,,	16	2	,,	,,	125
2	,,	,,	22	2	,,	,,,	35 37 52 125 126A


## Model No. 0.60 Pen Rack




## Model No. 0.63

Parts required: 1 of No. 2


Music Stand



## Model No. 0.75 Trolley




## Model No. 0.79 Swing





#### Parts required:

2	of	No.	2	8	of	No.	37
2	,,	"	2 16 22 of N	2	,,	,,	48
4	,,	"	22	1	,,	,,	52
		4	of N	0.	901	A	




## Model No. 0.78 Lathe






## Parts required:


2	of	No.	2	1	of	No.	
1	,,	,,	5	1	,,	,,	22
2	,,	,,	10	15	,,	,,	37
2	,,	"	11	1	,,	"	44
3	,,	,,	12	1 1	,,	,,	484
		4	of	No.	90 A		




П	at	Na	ICK
Pa	irts		
re	qui	red:	
2	of	No.	2
4	,,	,,	5
2 5	,,	,,,	11
	,,	,,	12
1	,,	"	17
1	,,	"	22
20	,,	"	37 48a
2	,,	,,	90A
4	"	"	126A
2	1,1	23	IZUA



4	,,	,,	5	1	,,	,,	24
2	,,	1)	11	3	,,	,,	35
7	,,	11	12	16	,,	,,,	37
1	,,	,,	17	1	,,	",,	52
1	,,	,,	19s	2	,,	,,	126
		2	of No	n. 1.	26 A		




### Model No. 0.81 Arch




## Model No. 0.82 Tea Wagon

#### Parts required:

8	of	No.	5	10	of	No.	37
2	,,	,,	16 22	1	,,	,,	52
4			22	4		1831	90 A




## Model No. 0.83 Horizontal Engine



re	qu	ired:		1					•		77
2	of	No.	2	100						160	V
6	,,	,,	5	4	of	No.	22	1			
2	,,	.,,	10	1	,,	,,	24	1	of	No.	52
1	,,	,,	12	3	,,	,,	35	4	,,	,,	90 A
2	. ,	11	16	21	,,	,,	37	2	23	,,	126
1	1	teles.	19s	1		1000	48A	2	100	9200	126A


## Model No. 0.85 Notice Board





## Model No. 0.86 Drafting Table


#### Parts required:


4	of	No.	5	1	of	No.	52
12	- ,,	,,	37	4		,,	90 a 126 a
1	2,1	,,	48 a	2	,,	,,	126A












## Model No. 0.89 Pulley Block




## Model No. 0.90 Derricking Crane



#### Model No. 0.91 Rock Drill

Parts required:

1	of	No.	11 16 17 19s	4	of	No.	22	2	of	No.	48 A
2	,,	"	16	1	,,	,,	24	1	,,	,,	52
1	,,	,,	17	2	,,	,,	35	2	,,	,,	125
1	,,	,,	19s	5	,,	,,	37				




#### Parts required:

					370						
4	of	No.	2	1	of	No.	22	1	of	No.	52
2	,,	,,	5	1	,,	,,	23	1	,,	,,	57
		,,	11		,,		24	2	,,	,,	90 A
1	,,	,,	17	5	"	"	35	2	,,	,,	126
1	,,	,,	19s	20	,,	,,	37	2	,,	,,	126a


## Model No. 0.88 See-Saw Parts required

4	of	No.	2	11	of	No. 52	2
1	,,	,,	16	4	,,	,, 90	AC
2	,,	,,	22	2	,,	,, 126	5
12	,,	,,	37				
	4 1 2 12	4 of 1 ,, 2 ,, 12 ,,	4 of No. 1 ,, ,, 2 ,, ,, 12 ,, ,,	4 of No. 2 1 ,, 16 2 ,, 22 12 ,, 37	4 of No. 2   1 1 ,, ,, 16   4 2 ,, ,, 22   2 12 ,, ,, 37	4 of No. 2   1 of 1 " " 16   4 " 2 " " 22   2 " 12 " " 37	4 of No. 2   1 of No. 52 1 ,, ,, 16   4 ,, ,, 90 2 ,, ,, 22   2 ,, ,, 126 12 ,, ,, 37


## Model No. 0.92 Drilling Machine



## Model No. 0.94 Scales



#### Model No. 0.96 Cot



### Model No. 0.93 Counter Scales

Parts	required:
-------	-----------

	1	of	No.	2	1 7	of	No.	37	8
	2	,,	,,	10	1	,,	,,	44	
	2	,,	,,	10 12 17	1	,,	,,	52 126	
	1	,,	"	17	2	,,	"	126	
1					ç	0	0		
0		0		6	<b>,</b> (	1		H.	

#### Parts required:

2	of	No.	2	2	of	No.	48A
9	,,	,,	2 37 37 <sub>A</sub>	1	,,	,,	52
1	,,	,,	37A	4	,,	,,	90a
		1	of N	0.	166	5	

## Model No. 0.95 Single Sheave Pulley Block





## required:

(0) (C)			
1	of	No.	23
12	,,	,,	37A
1	,,	,,	57
4	,,	,,	111c
2	,,	,,	126a

#### Model No. 0.97 Couch


Parts required:






### These Models can be built with MECCANO Outfit No. 0 (or No. 00 and No. 00A)

#### Model No. 0.104 Aeroplane





#### Model No. 0.107 Bath Chair



#### Model No. 0.106 Dump Car


#### Model No. 0.105 Bench Lathe






#### Parts required:

Q	of	No	5	1 2	of	No	35	1 2	o f	Ma	00.	
1	OI	140.	U	-	OI	140.	00	4	OI	140.	9UA	
6	"	,,	12	22	,,	,,,	37	2	,,	"	126	
1	-,,	"	19s	2	,,	"	48A	2	,,	,,	90a 126 126a	
4	,,	,,	22	1			52	366				





### These Models can be built with MECCANO Outfit No. 0 (or No. 00 and No. 00A) Model No. 0.113 Crane Grab Model No. 0.109 Model No. 0.111 Footbridge Pneumatic Grain Elevator Parts required: 6 of No. 5 Parts required: 4 of No. Parts required: Model No. 0.114 Switchback Model No. 0.112 Cross-Bow Model No. 0.110 Parts required: 4 of No. 2 | 2 of No. 22 Baboon Parts required: 1 of No. Parts required: 1 of No. 16

## These Models can be built with MECCANO Outfit No. 0 (or No. 00 and No. 00A)











The connecting Strip is pivoted by bolts and nuts at one end to the Bush Wheel and at the other end to the cross beam. The latter is pivoted by the same means to the upright.




## Model No. 0.123 Walking Man

Parts
required:
5 of No. 5
3 " " 10
2 " " 12
1 " " 22
7 " " 37
3 " " 90A






#### Model No. 0.128 Machine Gun



#### Parts required:

2	of l	No.	11	1	of	No.	22
4	,,	,,	12	12	,,	,,	37
1	,,	,,	16	1	- ,,	,,	52
1	,,	,,	19s	4	,,	,,	904


#### Model No. 0.129 Bench




#### Parts required: 2 of No. 2

8 ,, ,, 37 1 ,, ,, 52 4 ,, ,, 90A

#### Model No. 0.130 Swivelling Crane



### Model No. 0.132 Prancing Horse




The Strip 1 forming part of the body is free to move about the bolt 2, but two nuts on the latter secure the rear legs and tail rigidly together. The arrangement of the various Strips about this bolt 2 is shown more clearly in Fig. 0.59a. The Strip 3 is free to move at each end about pivots formed from bolts and nuts.


### Model No. 0.131 Battleship

quired: of No. 2	1	""	16	A2 1		"	35	2	,,	"	52 90
,, ,, 5	1	,, ,,	17	22	"	,,	37 of N	1	"	"	125

#### Model No. 0.133 Viaduct




#### These Models can be built with MECCANO Outfit No. 0 (or No. 00 and No. 00A)



#### HOW TO CONTINUE

This completes our examples of models that may be made with MECCANO Outfit No. 0. The next models are a little more advanced, requiring a number of extra parts to construct them. The necessary parts are all contained in a No. 0A Accessory Outfit, the price of which will be found in the list at the end of this Manual.

### **MECCANO MOTORS**



#### Electric Motor No. 1

(6 Volt)

The 6-volt Motor is specially designed to build into Meccano models. It may be run from a 6-volt Accumulator, or, by employing a suitable transformer, direct from the main. It is fitted with reversing motion, provided with stopping and starting controls, and the gearing is interchangeable.

NOTE.—The Electric Motor No. 1 will not run satisfactorily from dry cells.

6-Volt Accumulator


This new and excellent type of Accumulator has been adapted to drive the Electric Motor No. 1. It has been subjected to the severest tests and has proved itself to be the most suitable accumulator for use with any type of electric motor.


#### Transformer

By means of this transformer the Meccano Electric Motor No. 1 (6-volt) may be driven direct from the house supply (alternating current only). It is available for all standard supply voltages, from 100 to 250 inclusive, at all standard frequencies. The supply voltage and frequency must be specified when ordering.

#### Resistance Controller

By employing this variable resistance the speed of the Meccano Electric Motor No. 1 (6-volt) may be regulated as desired. The controller is connected in series with the motor and accumulator, or with the motor and transformer if a transformer is used as the source of power.





#### Clockwork Motor


The Meccano Clockwork Motor is specially made for the purpose of driving Meccano models. It is a fine piece of mechanism—simple, powerful, and reliable. The starting, stopping and reversing levers enable the operator to control the various movements of a model in exactly the same manner as an engineer does in actual practice.



MECCANO ACCESSORY OUTFITS

#### Meccano Accessory Outfits

Our illustration shows one of the Meccano Accessory Outfits. As has already been explained, these Outfits connect the main Outfits from No. 00 to No. 7, making it possible for a boy who commences with one of the earlier Outfits to build up his equipment by easy stages, until he is the possessor of parts that cover the entire system.



This Outfit is intended for boys who already have Meccano, and who wish to satisfy their inventive inclinations by building models from their own designs. The parts contained include four large Pulley Wheels with Dunlop Tyres, Ball Race, Ship's Funnel, Pulley Blocks, Channel Bearing, Crane Grab and many others.

For prices of the above see price list at end of Manual.



# HORNBY

# TRAINS

Hornby Trains are manufactured by Meccano Limited and they are made from the finest materials obtainable. Each train is a beautiful piece of workmanship with perfect mechanism. All Hornby Locomotives are carefully tested before leaving the factory and their efficiency is guaranteed.

#### M O Passenger Set


This set contains Locomotive (non-reversible), Tender, one Pullman Coach and set of Rails. One of the rails is a Brake Rail, by means of which the train may be braked from the track. The set is richly coloured and well finished.' Gauge 0.

#### M 1 Passenger Set

This set is similar to the M0 Passenger Set, excepting that it has two Pullman Coaches instead of one, and additional rails. Gauge 0.

#### M 2 Passenger Set


Similar to the M0 Passenger Set, excepting that it has three Pullman Coaches instead of one, and additional rails. Gauge  $\bf 0$ .



#### No. 1 Tank Goods Set

This set contains a Hornby No. 1 Tank Locomotive, Hornby Wagon, Petrol Tank Wagon, Brake Van and set of Rails to form a circle 4 ft. in diameter. One of the rails is a Brake Rail by means of which the train may be braked from the track.

Gauge 0, in colours to represent the L.M.S.R., L.N.E.R., G.W.R. or S.R. Companies' rolling stock. The Loco is fitted with reversing gear and brake mechanism.



#### Metropolitan Train Sets

The Locomotives and Coaches in these Train Sets are modelled on the electric passenger rolling stock of the Metropolitan Railway. They are distinctive in design, perfect in workmanship, and beautifully enamelled in representative colours. Two different types are available—Clockwork and 6-volt Electric.




#### No. 3 Train Sets

These Train Sets are distinctive in design, beautifully enamelled in correct colours and are guaranteed to give the utmost satisfaction.

Each locomotive carries the name of a famous British locomotive on the front wheel guard at each side. A special feature of the Pullman Coaches is the corridor connection, which gives the

Train a most realistic appearance. All the doors of the coaches open.

The Trains in this series are "Cornish Riviera" (G.W.R.), "Flying Scotsman" (L.N.E.R.), "Royal Scot" (L.M.S.R.), and "Continental Express" (S.R.). In each case the Train Set is available with either Clockwork or 6-Volt Electric Motor. Gauge 0.



For prices of the above see price list at end of Manual.

No. 3C S.R. "CONTINENTAL EXPRESS"

TUNNEL

Realistic and finished in

colours ... Price 7/6

SIGNAL CABIN No. 2 Dimensions: Height 6½ in., Width 3½ in., Length 6½ in. Finished in colours and lettered "Windsor." Roof and back open to allow a signal lever frame to be fitted inside cabin, if desired, and operated ... Price 6/6



LEVEL CROSSING No. 1 Price 3/6



\*CEMENT WAGON Finished in red. Price 3/-




\*HOPPER WAGON Mechanically unloading. Finished in green. Price 4/-




\*MILK TRAFFIC VAN Fitted with sliding door, complete with milk cans. Price 3/6

# ROLLING STOCK AND ACCESSORIES



structed in three sections which are detachable. Dimensions: Length 2 ft. 9 in., breadth 6 in., height 7 in.

THE Hornby system consists of a complete range of Rolling Stock, Train Accessories, Rails, Points and Crossings, with which the most elaborate model railway may be constructed. Every component in the Hornby Series is well designed and carefully modelled on its prototype in real life.



JUNCTION SIGNAL Signal arms operated by levers at base. Very realistic model standing 14 in. in height. Price 5/6



BUFFER STOPS No. 1 (SPRING) Price 1/-



LATTICE GIRDER BRIDGE Constructional type. Strong and well proportioned. Price 9/6



TURNTABLE No. 1

\*GAS CYLINDER WAGON Finished in red, lettered gold. Price 2/6



\*LUMBER WAGON No. 1 Fitted with bolsters and stanchions for log transport. Price 2/-



BRAKE VAN Finished in brown, with opening doors. Lettered N.E. or S.R. Price 3/6



LAMP STANDARD

No. 1 (SINGLE) An electric flash-

lamp bulb may be

fitted into the globe.

Price 3/-

\*SNOW PLOUGH With revolving plough driven from front axle. Price 5/6

LAMP STANDARD No. 2 (DOUBLE) Electric flashlamp

bulbs may be fitted

into the globes. Price 4/-

\*CRANE TRUCK Finished in brown and

Price 3/6



BUFFER STOPS No. 2 (HYDRAULIC Price 5/-



\*TIMBER WAGON No. 2 Beautifully enamelled in green and red. Suitable for 2 ft. radius rails only. Price 3/6




ENGINE SHED No. 1

(illustrated) Price 11/-ENGINE SHED No. 2

Price 17/6

TROLLEY WAGON Finished in brown and blue. Suitable for 2 ft. radius rails only ... Price 5/6 \*Lettered L.M.S., N.E., G.W. or S.R.



\*BREAKDOWN VAN AND CRANE Beautifully coloured in brown and blue, with opening doors. Suitable for 2 ft. radius rails only. ... Price 6/3

DOUBLE ARM SIGNAL

MECCANO OUTFITS		ACCESSO	RY OUTFITS
No. 00 Meccano Outfit	3/6 5/- 10/- 16/- 27/6 50/- 65/- 95/- 115/- 150/-	No. 00A Meccano Accessory Out:  ,	
*Outfits Nos. 5, 5A and 6 are supplied in neat and  Meccano Clockwork Motor		Special Inventor's Outfit boxes (cartons) or in superior enamel  MOTORS, Etc.  Resistance Controller No. 1 Meccano Storage Box  " 2 " " " " 3 " "  ine 21/-	

#### Hornby Train Price List Hornby No. 2 Mixed Goods Set .. .. Metropolitan Train Set, L.V. (6-Volt Electric) 37/6 No. MO Passenger Set 55/-77/6 Goods Set 3C (Clockwork) Hornby No. 0 Goods Set Hornby No. 3C "Cornish Riviera" (Clockwork) 60/-Passenger Set 75/-(Electric) .. Goods Set "Flying Scotsman" (Clockwork) 60/-Passenger Set (Electric) .. 75/-1 Tank Goods Set "Royal Scot" (Clockwork) 60/-Special Goods Set (Electric) 75/-Passenger Set "Continental Express" (Clockwork) 60/-Goods Set .. (Electric) 75/-Pullman Set

# MECCANO

# Hornby's Original System, First Patented 1901

#### PATENTS AND DESIGNS

#### GREAT BRITAIN:

20,535/13	648,958	680,416	686,112	733,542
22,962/13	671,484	682,208	698,054	740,413
250,378	671,485	682,209	718,731	740,723
253,236	671,534	682,934	718,404	
290,121	671,790	683,011	733,541	

No Outfit is genuine unless it bears the Trade Mark MECCANO

#### CONTENTS OF No. 0 OUTFIT

No.	Qu	antity.	No.		Q۱	antity.	No.	Quantity
2.	5½" Perforated Strips	4	23.	1 Pulley Wheel (with	hout Set-scr	ew) 1	48a. 2½" × ½" Double Angle	Strips 2
5.	2½" " "	9	24.	Bush Wheel	•••	1	52. Perforated Flanged Pl	ate, $5\frac{1}{2}$ " $\times 2\frac{1}{2}$ " 1
10.	Flat Brackets	4	34.	Spanner		1	56B. Manual of Instruction	is No. 0 1
11.	Double ,,	2	35.	Spring Clips		6	57. Hook	1
12.	Angle ,, $\frac{1}{2}$ × $\frac{1}{2}$	8	36.	Screwdriver		1	90a. Curved Strips, 2½" Sn	nall Radius 4
16.	3½" Axle Rods	2	37.	Nuts and Bolts	••	16	111c. Bolts, 3"	
17.	2* , ,	2	37A.	Nuts	••	6	125. ½" Reversed Angle Br	rackets 2
19s.	Crank Handle, Small 31 Shaft	1	40.	Hank of Cord		1	126. Trunnions	2
22.	1" Pulley Wheels (with Set-screw	) 4	44.	Cranked Bent Strip		1	126A. Flat Trunnions .	2

# MECCANO

#### THE TOY THAT MADE ENGINEERING FAMOUS

Millions of boys in every country throughout the world play with Meccano. These are the Meccano Factories and distributing centres.



London Service and Repair Depot: Meccane Ltd., 5/6, Marshall Street, London, W.1.


London Office and Warehouse : Meccano Ltd., Walnut Tree Walk, Kennington Road, London, S.E.11.

#### Meccano Agencies:


Alexandria,

Brussels.

Buenos Aires. Algiers. Amsterdam. Cairo, Auckland Calcutta, Barcelona. Cape Town, Basle, Caracas, Bogota, Constantinople, Bombay, Durban.



Head Office and Factory: OLD SWAN, LIVERPOOL.



Meccano Company Inc., Elizabeth, New Jersey, U.S.A.



Meccano (France) Ltd., 78-80 Rue Rébeval, Paris XIXeme.

Hornby-Meccano G.m.b.H., Alte Jacobstrasse 20-22 (Bergmannshof), Berlin SW.68.

Canadian Office and Warehouse Meccano Ltd., 34. St. Patrick Street, Toronto.

#### Meccano Agencies:

Genoa, Oslo. Hong Kong, Para, Rio de Janeiro. Iquitos. Santiago. Johannesburg, Sao Paulo. Karachi, Stockholm. Malta. Sydney, Manaos. Tampico, Monte Video. Tanga.